



# Safety Data Sheet

Page 1 of 7

## Lyden Fuel Force Red Synthetic P/S Fluid & Conditioner

SDS Number: FF330

### 1 PRODUCT AND COMPANY INFORMATION

Product Name: Lyden Fuel Force Red Synthetic P/S Fluid & Conditioner  
Revision Date: 03/06/2025  
SDS Number: FF330  
Common Name: Hydrotreated heavy paraffinic power steering fluid  
CAS Number: Blend  
Product Code: FF330  
Synonyms: Power Steering Fluid

#### Company Identification:

*Manufactured for:*  
LYDEN OIL COMPANY  
30692 Tracy Rd.  
Walbridge, OH 43462  
www.lydenoil.com

For Product Information: 1-800-245-9336  
For Emergencies: 1-800-424-9300 (CHEMTREC)

### 2 HAZARDS IDENTIFICATION

Signal Word: **None**

Hazard Classes/Categories: None

Hazard Statement(s): None

Precaution Statement(s):  
P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P103: Read label before use.



# Safety Data Sheet

Page 2 of 7

## Lyden Fuel Force Red Synthetic P/S Fluid & Conditioner

SDS Number: FF330

Other Hazard Statement(s):

-NFPA Ratings:

Health = 0

Fire = 1

Reactivity = 0

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

*Mixture of the substances listed below with nonhazardous additions.*

Chemical Name	CAS Number	Percentage
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	60-100

*\*Any concentration shown as a range is to protect confidentiality or is due to batch variation.*

### 4 FIRST AID MEASURES

Description of First Aid Measures:

Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin Contact:

Wash with soap and water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.

Eye Contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.

Ingestion:

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.



# Safety Data Sheet

Page 3 of 7

## Lyden Fuel Force Red Synthetic P/S Fluid & Conditioner

SDS Number: FF330

Symptoms and Effects, both acute and delayed:

No further relevant data available.

Recommended Actions:

Treat symptomatically. Call a doctor or poison control center for guidance.

### 5 FIRE FIGHTING MEASURES

Recommended Fire-Extinguishing Equipment:

Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

Possible Hazards During a Fire:

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.

Recommendations to Firefighters:

Proper protective equipment including breathing apparatus.

### 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid eye contact. Avoid repeated or prolonged skin contact.  
Personal protective equipment must be worn.  
Avoid contact with skin, eyes or clothing.

Emergency Procedures:

Contain spilled material, collect in suitable and properly labeled containers.



# Safety Data Sheet

Page 4 of 7

## Lyden Fuel Force Red Synthetic P/S Fluid & Conditioner

SDS Number: FF330

### Environmental Precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

### Cleanup Procedures:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

## 7 HANDLING AND STORAGE

### Handling Precautions:

Wear personal protective equipment. Avoid contact with eyes.

### Storage Requirements:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Limits:

-64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic (60-100%):

ACGIH TWA – 5mg/m<sup>3</sup> (oil mist)

ACGIH STEL - 10mg/m<sup>3</sup> (oil mist)

OSHA TWA – 5mg/m<sup>3</sup> (oil mist)

### Engineering Controls:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).



# Safety Data Sheet

Page 5 of 7

## Lyden Fuel Force Red Synthetic P/S Fluid & Conditioner

SDS Number: FF330

### Personal Protective Equipment:

Wash hands before breaks and at the end of work.  
Use safety glasses and gloves.

<b>9</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>
----------	---

Color:	Red
Physical State:	Liquid
Odor:	Petroleum
Odor Threshold:	Data not available
pH:	Data not available
Melting Point:	Data not available
Boiling Point:	Data not available
Boiling Range:	Data not available
Flash Point:	>200° C / >392° F (COC Method)
Evaporation Rate:	Data not available
Flammability:	Data not available
Flammability Limits:	Data not available
Vapor Pressure:	Data not available
Vapor Density:	Data not available
Relative Density:	0.84 to 0.865
Solubilities:	Insoluble in water
Partition Coefficient:	Data not available
Auto-Ignition Temperature:	Data not available
Decomposition Temperature:	Data not available
Viscosity:	>25 mm <sup>2</sup> /sec (kinematic at 40° C)

<b>10</b>	<b>STABILITY AND REACTIVITY</b>
-----------	---------------------------------

### Stability:

Stable under normal conditions.

### Reactivity:

Not reactive under normal conditions.

### Conditions to Avoid:

No further relevant information available.

### Hazardous Reactions:

No known hazardous reactions.



# Safety Data Sheet

Page 6 of 7

## Lyden Fuel Force Red Synthetic P/S Fluid & Conditioner

SDS Number: FF330

Incompatible Materials:

Strong oxidizers.

Decomposition Products:

Oxides of carbon.

### 11 TOXICOLOGICAL INFORMATION

Routes of Exposure:

Inhalation, skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Exposure Effects:

Repeated skin contact may cause dermatitis or an oil acne.

Measures of Toxicity:

No test data available.

Carcinogenic/Mutagenic Precautions:

Non-carcinogenic and not expected to be mutagenic.

### 12 ECOLOGICAL INFORMATION

Ecological Precautions:

Do not allow product to reach ground water, water course or sewage system.

Ecological Effects:

No specific environmental or aquatic data available.

### 13 DISPOSAL CONSIDERATIONS

Disposal Methods:

Dispose of waste material in accordance with all local, state, and federal requirements.



# Safety Data Sheet

Page 7 of 7

## Lyden Fuel Force Red Synthetic P/S Fluid & Conditioner

SDS Number: FF330

Disposal Containers:

Use properly approved container for disposal.

Special Precautions:

Do not flush to surface waters or drains.

### 14 TRANSPORT INFORMATION

UN Number: Data not available  
UN Shipping Name: Data not available  
Transport Hazard Class: Data not available  
Packing Group: Data not available

Environmental Hazards:

Data not available

Bulk Transport Guidance:

Data not available

Special Precautions:

Not regulated by DOT.

### 15 REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

### 16 OTHER INFORMATION

Last Revision Date: 03/06/2025

*The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. The supplier assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the supplier.*



# Safety Data Sheet

Page 1 of 8

## Lyden Fuel Force Power Steering Flush

SDS Number: FF350

### 1 PRODUCT AND COMPANY INFORMATION

Product Name: Lyden Fuel Force Power Steering Flush  
Revision Date: 03/06/2025  
SDS Number: FF350  
Common Name: Hydrotreated heavy paraffinic power steering flush  
CAS Number: Blend  
Product Code: FF350  
Synonyms: Power Steering Flush

#### Company Identification:

*Manufactured for:*  
LYDEN OIL COMPANY  
30692 Tracy Rd.  
Walbridge, OH 43462  
www.lydenoil.com

For Product Information: 1-800-245-9336  
For Emergencies: 1-800-424-9300 (CHEMTREC)

### 2 HAZARDS IDENTIFICATION



Signal Word: **DANGER**

Hazard Classes/Categories: Aspiration hazard, Category 1.

Hazard Statement(s): H304: May be fatal if swallowed and enters airways.





# Safety Data Sheet

Page 2 of 8

## Lyden Fuel Force Power Steering Flush

SDS Number: FF350

### Precaution Statement(s):

P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P103: Read label before use.  
P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor  
P331: Do NOT induce vomiting.  
P405: Store locked up.  
P501: Dispose of contents/container in accordance with local/regional/national/international regulation.

### Other Hazard Statement(s):

-NFPA Ratings:  
Health = 0  
Fire = 1  
Reactivity = 0

## 3 COMPOSITION / INFORMATION ON INGREDIENTS

### Ingredients:

*Mixture of the substances listed below with nonhazardous additions.*

Chemical Name	CAS Number	Percentage
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	60-100
White mineral oil (petroleum)	8042-47-5	1-5

*\*Any concentration shown as a range is to protect confidentiality or is due to batch variation.*

## 4 FIRST AID MEASURES

### Description of First Aid Measures:

#### Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately.



# Safety Data Sheet

Page 3 of 8

## Lyden Fuel Force Power Steering Flush

SDS Number: FF350

**Skin Contact:**

Wash with soap and water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.

**Eye Contact:**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.

**Ingestion:**

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Symptoms and Effects, both acute and delayed:

Ingestion: Adverse symptoms may include the following: nausea or vomiting.

Recommended Actions:

Treat symptomatically. Call a doctor or poison control center for guidance.

<b>5</b>	<b>FIRE FIGHTING MEASURES</b>
----------	-------------------------------

Recommended Fire-Extinguishing Equipment:

Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

Possible Hazards During a Fire:

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.



# Safety Data Sheet

Page 4 of 8

## Lyden Fuel Force Power Steering Flush

SDS Number: FF350

### Recommendations to Firefighters:

Proper protective equipment including breathing apparatus.

## 6 ACCIDENTAL RELEASE MEASURES

### Personal Precautions:

Avoid eye contact. Avoid repeated or prolonged skin contact.  
Personal protective equipment must be worn.  
Avoid contact with skin, eyes or clothing.

### Emergency Procedures:

Contain spilled material, collect in suitable and properly labeled containers.

### Environmental Precautions:

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.

### Cleanup Procedures:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.

## 7 HANDLING AND STORAGE

### Handling Precautions:

Wear personal protective equipment. Avoid contact with eyes.

### Storage Requirements:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be



# Safety Data Sheet

## Lyden Fuel Force Power Steering Flush

SDS Number: FF350

carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

-64742-54-7 Distillates (petroleum), hydrotreated heavy parffinic (60-100%):

ACGIH TWA – 5mg/m<sup>3</sup> (oil mist)

ACGIH STEL - 10mg/m<sup>3</sup> (oil mist)

OSHA TWA – 5mg/m<sup>3</sup> (oil mist)

Engineering Controls:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

Personal Protective Equipment:

Wash hands before breaks and at the end of work.  
Use safety glasses and gloves.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

Color:	Clear
Physical State:	Liquid
Odor:	Petroleum
Odor Threshold:	Data not available
pH:	Data not available
Melting Point:	Data not available
Boiling Point:	Data not available
Boiling Range:	Data not available
Flash Point:	>200° C / >392° F (COC Method)
Evaporation Rate:	Data not available
Flammability:	Data not available
Flammability Limits:	Data not available
Vapor Pressure:	Data not available
Vapor Density:	Data not available
Relative Density:	0.85 to 0.86
Solubilities:	Insoluble in water



# Safety Data Sheet

Page 6 of 8

## Lyden Fuel Force Power Steering Flush

SDS Number: FF350

Partition Coefficient:	Data not available
Auto-Ignition Temperature:	Data not available
Decomposition Temperature:	Data not available
Viscosity:	>19.2 mm <sup>2</sup> /sec (kinematic at 40° C)

### 10 STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Reactivity:

Not reactive under normal conditions.

Conditions to Avoid:

No further relevant information available.

Hazardous Reactions:

No known hazardous reactions.

Incompatible Materials:

Strong oxidizers.

Decomposition Products:

Oxides of carbon.

### 11 TOXICOLOGICAL INFORMATION

Routes of Exposure:

Inhalation, skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Exposure Effects:

Repeated skin contact may cause dermatitis or an oil acne.

Measures of Toxicity:

-White mineral oil (petroleum):

LD50 Oral: (Rat) >5000 mg/kg



# Safety Data Sheet

Page 7 of 8

## Lyden Fuel Force Power Steering Flush

SDS Number: FF350

Carcinogenic/Mutagenic Precautions:

Non-carcinogenic and not expected to be mutagenic.

### 12 ECOLOGICAL INFORMATION

Ecological Precautions:

Do not allow product to reach ground water, water course or sewage system.

Ecological Effects:

No specific environmental or aquatic data available.

### 13 DISPOSAL CONSIDERATIONS

Disposal Methods:

Dispose of waste material in accordance with all local, state, and federal requirements.

Disposal Containers:

Use properly approved container for disposal.

Special Precautions:

Do not flush to surface waters or drains.

### 14 TRANSPORT INFORMATION

UN Number: Data not available

UN Shipping Name: Data not available

Transport Hazard Class: Data not available

Packing Group: Data not available

Environmental Hazards:

Data not available

Bulk Transport Guidance:

Data not available

Special Precautions:

Not regulated by DOT.



# Safety Data Sheet

Page 8 of 8

## Lyden Fuel Force Power Steering Flush

SDS Number: FF350

### 15 REGULATORY INFORMATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

### 16 OTHER INFORMATION

Last Revision Date: 03/06/2025

*The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. The supplier assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the supplier.*