

Page **1** of **8** -

1

## Lyden Fuel Force Radiator Treatment

SDS Number: FF930

## PRODUCT AND COMPANY INFORMATION

Product Name:	Lyden Fuel Force Radiator Treatment
<b>Revision Date:</b>	03/06/2025
SDS Number:	FF930
Common Name:	N/A
CAS Number:	Blend
Product Code:	FF930
Synonyms:	Cooling system treatment

### **Company Identification:**

Manufactured for: LYDEN OIL COMPANY 30692 Tracy Rd. Walbridge, OH 43462 www.lydenoil.com

For Product Information:	1-800-245-9336
For Emergencies:	1-800-424-9300 (CHEMTREC)

## HAZARDS IDENTIFICATION



Signal Word:

2

Hazard Classes/Categories:

WARNING

Reproductive toxicity, Category 2.

Hazard Statement(s):

H361: Suspected of damaging fertility or the unborn child.



## Page **2** of **8** –

## Lyden Fuel Force Radiator Treatment

## SDS Number: FF930

## Precaution Statement(s):

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P103: Read label before use.
P264: Wash thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P308+311: IF exposed or concerned: Call a POISON CENTER/ doctor.
P405: Store locked up.
P501: Dispose of contents/container in accordance with local/regional/national/international regulation.

## Other Hazard Statement(s):

-NFPA Ratings: Health = 0 Fire = 0 Reactivity = 0

## COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Sodium Metaborate	10555-76-7	<1.0
Sodium Nitrite	7632-00-0	<1.0

\*Any concentration shown as a range is to protect confidentiality or is due to batch variation.

FIRST AID MEASURES

**Description of First Aid Measures:** 

Inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

3



## Page 3 of 8 -

SDS Number: FF930

## Lyden Fuel Force Radiator Treatment

Skin Contact:		
Skii condee.	Flush skin with water, wash with soap and water. Remove contaminated clothing. Do not reuse clothing until cleaned. Get medical attention if skin irritation occurs or if otherwise needed. Discard leather articles saturated with the material.	
Eye Contact:		
	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.	
Ingestion:		
	Rinse mouth with water. Drink copious amounts of water and DO NG induce vomiting. Obtain medical attention.	т
Symptoms and Effects, both acut	and delayed.	
Symptoms and Enects, both acut	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.	
Recommended Actions:		
	Treat symptomatically. Call a doctor or poison control center for guidance.	

5	FIRE FIGHTING MEASURES	
Recommended	Fire-Extinguishing Equipment:	CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Possible Hazaro	ds During a Fire:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.
<u>Recommendati</u>	ons to Firefighters:	Proper protective equipment including breathing apparatus.



Page **4** of **8** –

## Lyden Fuel Force Radiator Treatment

SDS Number: FF930

6 ACCIDENTAL RELEASE MEAS	URES
Personal Precautions:	
	Avoid eye contact. Avoid repeated or prolonged skin contact.
	Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing.
Emergency Procedures:	
	Contain spilled material, collect in suitable and properly labeled containers.
Environmental Precautions:	
	Do not allow product to reach sewage system or any water course.
	Inform respective authorities in case of seepage into water course or sewage system.
<u>Cleanup Procedures:</u>	
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust) Ensure adequate ventilation.
7 HANDLING AND STORAGE	

## Handling Precautions:

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Keep respiratory protective device available.

## Storage Requirements:

Store in a cool dry place in tightly closed containers. Keep receptacle tightly sealed. Keep from freezing.



## Page 5 of 8 -

8

## Lyden Fuel Force Radiator Treatment

SDS Number: FF930

## **EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### Exposure Limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### **Engineering Controls:**

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

### Personal Protective Equipment:

-General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Store protective clothing separately.

Avoid contact with the eyes and skin. Wear gloves and goggles.

-Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

## 9

#### PHYSICAL AND CHEMICAL PROPERTIES

Color:	Light Purple
Physical State:	Liquid
Odor:	Caustic
Odor Threshold:	Data not available
pH:	11.2
Melting Point:	Data not available
Boiling Point:	Data not available
Boiling Range:	Data not available
Flash Point:	Data not available
Evaporation Rate:	Data not available
Flammability:	Data not available
Flammability Limits:	Data not available
Vapor Pressure:	17 mmHg at 20° C
Vapor Density:	Data not available
Relative Density:	1.15 g/cm <sup>3</sup> (9.597 lbs/gal)



### Page 6 of 8 -

## Lyden Fuel Force Radiator Treatment

## SDS Number: FF930

Solubilities: Partition Coefficient: Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Data not available Data not available Data not available Data not available Data not available

10	STABILITY AND REACTIVITY	
<u>Stability:</u>		Stable under normal conditions.
<u>Reactivity:</u>		Not reactive under normal conditions.
Conditions to Av	<u>roid:</u>	Extreme temperature, sparks, open flame, and direct sunlight.
Hazardous Reac	tions:	No known hazardous reactions.
Incompatible Ma	aterials:	Strong oxidizers and reducing agents.
Decomposition I	Products:	Hazardous decomposition products are not expected to form.

## 11 TOXICOLOGICAL INFORMATION

Routes of Exposure:	
	Inhalation, skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Exposure Effects:	
	<ul> <li>On the skin: May cause mild skin irritation.</li> </ul>
	Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. - On the eye: May cause eye irritation.



Page **7** of **8** –

SDS Number: FF930

## Lyden Fuel Force Radiator Treatment

- Inhalation: May cause respiratory tract irritation.<br/>- Ingestion: May be harmful if swallowed. May<br/>cause stomach distress, nausea or vomiting.Measures of Toxicity:-Cooling System TreatmentOral LD50 26569 mg/kg (rat) (ATE)-7632-00-0 sodium nitriteOral LD50 85 mg/kg (rat)Oral LD50 85 mg/kg (rat)Carcinogenic/Mutagenic Precautions:Non-carcinogenic and not expected to be<br/>mutagentic.

## 12 ECOLOGICAL INFORMATION

Ecological Precautions:	
	Do not allow undiluted product or large quantities
	of it to reach ground water, water course or sewage system.
	Must not reach bodies of water or drainage ditch undiluted or unneutralized.
	Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pHvalues.
	A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the
	product the aqueous waste, emptied into drains, is only low water-dangerous.

## Ecological Effects:

No specific environmental or aquatic data available.



Page **8** of **8** –

## Lyden Fuel Force Radiator Treatment

SDS Number: FF930

13	DISPOSAL CONSIDER	ATIONS
Disposal Matha		
Disposal Method	<u>IS:</u>	Dispose of waste material in accordance with all local, state, and federal requirements.
Disposal Contair	<u>ers:</u>	Use properly approved container for disposal.
Special Precaution	nns:	
	<u>, , , , , , , , , , , , , , , , , , , </u>	Do not dispose of with household garbage. Do not flush to surface waters or drains.
14	TRANSPORT INFORM	IATION
<u>UN Number:</u> <u>UN Shipping Nar</u> <u>Transport Hazar</u> <u>Packing Group:</u>	ne: Data not d Class: Data not	t available t available t available t available
Environmental H	azards:	Data not available
Bulk Transport G	uidance:	Data not available
Special Precaution	ons:	Not regulated by DOT.
15	<b>REGULATORY INFORM</b>	MATION

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

16	OTHER INFORMATION

## Last Revision Date: 03/06/2025

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. The supplier assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the supplier.